

Linguistic Evidence

Example Paper

Stephan Kepser

1 General

Authors of full papers are granted 20 pages. Authors of invited talks are granted 28 pages. These must contain everything, i.e., references, figures, images, example sentences, etc.

Please send us your contribution by 16th May 2004, preferably in PDF. You may also hand in MS Word or PS documents.

2 Special issues

2.1 The Document Head

Your document head should look similar to this

```
\documentclass{le}

% LaTeX example file for
% Linguistic Evidence proceedings

\title{Linguistic Evidence}
\author{Stephan Kepser}
\date{}

\runningauthor{Stephan Kepser}
\runningtitle{Ling. Evidence Example}

\begin{document}

\maketitle
```

2 *Stephan Kepser*

There are *no* options defined for the class `le`. Please don't try to feed it with options, because this will create an incomprehensible error. The document is automatically typeset in 11 points size on A4 paper using Times Roman fonts.

If you need additional packages: All packages that come with a standard TeX distribution are fine. For all other, please contact Stephan Kepser.

The command `\runningauthor{}` defines the name(s) of the author(s) for the running heads, the command `\runningtitle{}` defines the paper title for the running heads.

2.2 Quotations

For citation, please use the commands from the `natbib` package. Here is a list of some quotation commands `natbib` provides

Command	produces
<code>\citet{kepseretal:2002}</code>	Kepser et al. (2002)
<code>\citet*{kepseretal:2002}</code>	Kepser, Mönnich, and Morawietz (2002)
<code>\citep{kepseretal:2002}</code>	(Kepser et al. 2002)
<code>\citep*{kepseretal:2002}</code>	(Kepser, Mönnich, and Morawietz 2002)
<code>\citeauthor{kepseretal:2002}</code>	Kepser et al.
<code>\citeauthor*{kepseretal:2002}</code>	Kepser, Mönnich, and Morawietz
<code>\citeyear{kepseretal:2002}</code>	2002

We encourage the use of BibTeX to ensure a uniform format of all the references in the proceedings. Please, use the BibTeX style file provided:

```
\bibliographystyle{le}
```

2.3 Notes

Mouton de Gruyter expects endnotes in stead of footnotes.¹ In order to output the endnotes, please insert

```
\begingroup  
\parindent 0pt  
\parskip 2ex  
\theendnotes  
\endgroup
```

immediately before the references.

Notes

- 1 Hence a note looks like this.

References

Blackburn, Patrick and Edith Spaan

- 1993 A modal perspective on the computational complexity of attribute value grammar. *Journal of Logic, Language, and Information*, 2: 129–169.

Chomsky, Noam

- 1981 *Lectures on Government and Binding*. Foris Publications, Dordrecht, Holland.

Engelfriet, Joost

- 1991 Iterated stack automata and complexity classes. *Information and Computation*, 95: 21–75.
- 1997 Context-free graph grammars. In Grzegorz Rozenberg and Arto Salomaa, (eds.), *Handbook of Formal Languages, Vol III: Beyond Words*, pp. 125–213. Springer.

Engelfriet, Joost and Erik Schmidt

- 1977 IO and OI. I. *Journal of Computer and System Sciences*, 15(3): 328–353.
- 1978 IO and OI. II. *Journal of Computer and System Sciences*, 16(1): 67–99.

Kepser, Stephan

- 2003 Finite Structure Query: A tool for querying syntactically annotated corpora. In Ann Copestake and Jan Hajič, (eds.), *Proceedings EACL 2003*, pp. 179–186.

Kepser, Stephan, Uwe Mönnich, and Frank Morawietz

- 2002 Model checking secondary relations. In Gerhard Jäger, Paola Monachesi, Gerald Penn, and Shuly Wintner, (eds.), *Formal Grammar 2002*, pp. 65–75.